PERFORMANCE BUBBLE POOL COVER

95% OF PRIOR BY

A two layer film Polyethylene bubble material manufactured from virgin low density Polyethylene (LDPE).

FEATURES

- Prevents evaporation by 95% and minimises replacement water
- Reduces pool chemical consumption
- Reduces pool cleaning time by keeping dirt and other debris out of the pool
- Superior tensile strength, elongation and weathering capabilities.
- Resistant to chemicals, oils and fuels.
- Pool water temperature is higher by approx. 6-8°c which can extend the swimming season

ADVANTAGES

- LDPE raw material used in manufacture is chemically unreactive and non-irritant, regarded as biologically inert and fully recyclable.
- Good Shock absorption characteristics.
- Good insulating properties.
- Closed cell structure ensures dust, water and wind resistance.
- Non-toxic.
- Chemical and UV resistant.

SPECIFICATIONS

- Size: 1.250m (w) x 80m (I) per roll
- Will need to be manually stapled or bound together by customer

Whilst this document has been prepared in good faith, Sondor Industries (Pty) Ltd accept no contractual liability of any kind to any person in respect of its contents or any use made thereof, nor must it be assumed that any such use will not infringe any patent. This document shall form no part of any contract with a customer. The data supplied on this sheet is typical and in no way reflects the final resultant values of the respective products.













CAPE TOWN: Tel: (O21) 959 9400, E-mail: Ctn.Sondor@ecobat.com • DURBAN: Tel: (O31) 705 4220, E-mail: Dbn.Sondor@ecobat.com

JOHANNESBURG: Tel: (O11) 452 4530, E-mail: Jhb.Sondor@ecobat.com • PORT ELIZABETH: Tel: (O41) 486 2231, E-mail: Pe.Sondor@ecobat.com

PRETORIA: Tel: (O12) 803 4471, E-mail: Pta.Sondor@ecobat.com • EXPORTS: Tel: +27-21-959 5900, E-mail: Exports.Sondor@ecobat.com

HEAD OFFICE: Tel: (O21) 959 5900, E-mail: Ho.Sondor@ecobat.com • EAST LONDON AGENT: Johnny Grant (O43) 743 3067/68

GARDEN ROUTE AGENT: IMPI Wire (O44) 802 7300

Revision No.: 1/2022